

TB1500





LCD DISPLAY (4) (5) (6) 88 i⇔ fγ ∘Φι : INPUT OUTPUT 8888 8888 8888 W ① -----467898

Battery Information indication	0	188x	Battery Power Level %	4	0	Battery failure/Low voltage indicate
	0		Battery Power Level	0	\$55	Battery high/low temperature indication
	3	۵	Battery lock protection			
Input indication	6	8888 _w	Input power			
Output indication	0	•	AC Output Icon	0	•	USB-C Output Icon
	8	-⊙+	DC/ Car Outlet Output	0	9888 _w	Output power
	9	-4-	USB Output Icon			
Remaining time C indication	0	8,8	Remaining discharge charge time		М	Minutes
					н	Hours
Protection indication	0	①	Functional failure	6	o ¢ ı	System failure indication
	(4)	ĺ₩	Low temperature indication	0	OMERLENG	Overload protection indication
	(5)	ľ₩	Over temperature indication	(3)	DVERTEMP,	Over temperature protection indication


- If there is no operation for 3 minutes when the product is working, the screen automatically turn off and the power indicator enter into "breathing light" mode.
 Click the On/off button to light on the screen, the power indicator enter into the "on" mode. When switch on the portable power station with all the output port swith off and without charge. The portable power station will switch off automatically if there is no any other opretations within 10 mintures
- During the operation, you can press the On/Off button to light on/off the screen display at any time.
- The screen will not automatically turn off the display when there is any protection start-up prompt or abnormal alert. The screen automatically turn off function will only be activated after the fault is solved.


HOW TO USE THE AC OUTPUT FUNCTION

Under the condition that the total power does not exceed 1500W, all AC outlets can work togehter at the same time.

- 1. Long press the main power button 3S to turn on. The main power indicator and the screen lights up, enters the standby state. 2. Plug in AC appliances.
- 3. Press the AC on/off switch to turn on the AC output function. The product starts to supply
- power to external AC appliances.

 4. Long press the AC power on/off switch to turn off the AC output.
- 5. When not using the product for a long time, please long press the main power switch for 3S to turn off to save power.





HOW TO CHARGE

1x Car Socket


- > Please charge the TB1500 before using.
- > Please fully charge the battery before long storage. Please check the TB1500 remaining

13.6V/8A, Max 108.8W

13.6V/8A, Max 108.8W

- power level every 3 months and full recharge it again.


 > There are 3 input ports on the Portable Power Station: 1* AC Input Port, 1* solar panel input port and 1* DC5521 port.
- 1. Super Quick charging: AC Input (AC power supply can be used to charge Portable Power
- Station with a maximum power of 600W through the AC charging port.).



SOLAR PANEL SERIES/PARALLEL CHARGING

Portable Power Station support Solar Panel charging Max 300W. You can purchase solar panels and dedicated cable accessories that match the Portable Pow Station to achieve a high-power solar fast charging experience.

CAUTION The maximum voltage of solar panels that Portable Power Station can support is 30V, and the maximum current is 10A.



It must be charged by solar panels with a voltage lower than 30V.
The input voltage exceeding 30V has the risk of damaging the product.

1. Can the product be taken on the plane?

- No, because this product is a products with battery, according to international air
- transportation standards and regulations, battery capacity products cannot exceed 100Wh. 2. The consumers' power is within the rated output power range of the Portable Power Station but cannot be used ?
- Because the product has a low power, it needs to be fully recharged and used again.
- 3. Why is there a noise sometimes. Because this product uses an air-cooled system, the built-in fan can better help the product to dissipate heat, so it is normal for a slight noise to occur.
- 4. How do I store the product when it's not in use?
- The portable power station needs to be stored in a dry environment, and the correct storage method can prolong the service life of the portable power station.
- 5. How do I clean the product if it is dirty?
- Please use a dry non-abrasive cloth to wipe. Do not wipe directly with a wet cloth or chemical solvent. If you want to wipe it more cleanly, we recommend that you use a cotton swab with a small amount of absolute alcohol to wipe. Do not expose the product to large amounts of water.

DAILY USAGE TIPS

- This product uses high-quality original lithium-ion batteries, no memory effect, large capacity, and durable. Recommended to use it within the range of 10°C~30°C to get the best charging performance.
- Please stay away from TV, radio and other equipment to avoid interference when charging
 Please disconnect the power cord and keep it if not to use this device for long time.

This device TB1500 provides an 18-months .

CAUTION

- 1) Do Not store this device together with coins, jewelry, keys and other metal objects to avoid short circuit.
- 2) Keep away from heat, don't throw it in fire water or other liquids, high temperature, including direct sunlight.
- 3) This equipment is not suitable for people with reduced physical, sensory or mental abilities or lack of experience and knowledge (including children), unless the person responsible for their safety supervises or guides their use of the equipment.
- 4) Children should be supervised and guided if to use this device, to avoid any safety
- The device may become hot while charging, which is normal. Do not cover the device with towels, clothing or other items.
- Please dispose of the waste according to the regulations, and do not dispose of the built-in battery as domestic garbage to avoid explosion.
- 7) This product is only used for emergency energy storage power supplies, and cannot replace standard DC or AC power supplies for household appliances or digital products.
- 8) There is a non-removable rechargeable battery inside your device. Do not try to remove the battery, otherwise the device may be damaged.









